

Index

A

- acoustic
 - impedance, 520
 - windows, 617
- active appearance model, *see* active shape model
- active contour, *see* deformable model, 1160, 1162, 1180
- active shape model, 161–167
 - active appearance model, 165–166
 - point distribution model, 161, 162
- adventitia, 764
- affine transformation, 532
- affinity, 898
- airway analysis, 1017–1027
- algebraic reconstruction technique, 47
- aliasing, 533
- alternative hypothesis, 585
- Alzheimer's disease, 1088
- analysis
 - multicompartmental, 1144
 - multiple compartments, 1147
 - two compartments, 1144
- analytic signal, 522
- anatomical maps
 - variability, 1088
- anatomical modeling, 1079, 1086
 - mesh models, 1086
- anatomy
 - cardiac, 611
 - pulmonary, 1006–1007
- angiography, 711–808
 - biplane, 750
 - 3D geometry, 751
 - computed tomography, 899–900
 - coronary, 715–757
 - quantitative, 718
 - CT, 812
 - digital subtraction, 811, 883, 886
 - imaging, 715–750
 - magnetic resonance, 848–899
 - magnetic resonance , 812
 - x-ray, 811, 812, 878, 880, 884
- aperture, 526
- apodization, 528
- area under the ROC curve (AUC), 575
- arterial
 - remodeling, 713
- arteries and veins
 - separation, 880
- arteriography
 - coronary
 - quantitative, 718
- artery
 - brachial, 812, 834–848
 - carotid, 812, 824–834
 - coronary, 900–901
 - femoral, 812, 886
 - iliac, 878, 886, 892
- artificial neural network, 329, 331–333, 575
- atherosclerosis, 713
 - coronary, 713
 - lesion, 713, 765
- atlas-based segmentation, 88
- atlases
 - deformable, 1077
 - model-based, 1084
 - probabilistic, 1086
- atrium, 611
- attenuation, 3
 - coefficient, 4

- correction factors, 3
 - map, 3
- auto-correlation, 310
- B**
- basis
 - expansion, 8
 - functions, 549
- Bayes, 287, 291, 292, 305, 306
- Bayesian
 - estimation, 690
 - image reconstruction, 12
 - methods, 547
- Bayesian methods, 1071
- beam hardening, 5
- Beer's law, 5, 57
- bilinear interpolation, 25
- biomechanical model, 693
- biomechanics, 1155
- black blood MRA, 860
- blackboard control architecture, 1013
- blank scan, 6
- blob coloring, 100
- Bloch equations, 540, 543
- block-iterative, 35
- blood flow
 - distributions, 1038
 - transit times, 1038
- border
 - detection, 93, 255
 - endocardial, 255, 656
 - epicardial, 255, 656
 - tracing, 88
- brain
 - asymmetry
 - abnormal, 1108
 - changes, 1107
 - maps, 1107
 - atlases, 1064
 - average templates, 1101
 - deformable, 1068
 - deformable probabilistic, 1101
 - disease-specific, 1067

- early templates, 1068
 - probabilistic, 1065
 - Talairach atlas, 1068
- data
 - disease-specific, 1067
- image analysis, 1114
- imaging, 1061
- structure
 - mapping differences, 1065
- templates
 - adaptable, 1064
- variation
 - encoding, 1101
 - shape differences, 1105
 - tensor maps, 1103, 1104
- breast, 549
 - cancer, 276, 326, 334, 918–921
- bright blood MRA, 861
- bronchoscopic
 - imaging, 1010, 1042, 1047–1050
- bronchoscopy
 - virtual, 1042–1050
- C**
- calcification
 - coronary, 900
- calibration
 - catheter-based, 732
- cancer, 1132–1150
- capillary permeability, 1147
- cardiac
 - deformation, 676
 - image analysis, 255–260, 676–710
 - motion, 676
 - output, 615
- cardiomyopathy, 635
- catheter, 715–784
 - orientation
 - absolute, 779
 - relative, 777
 - path, 776
 - sheathed, 777

- trajectory, 776
- centerlines, 1025, 1046
- cepstrum, 312–314, 318
- cerebral cortex
 - average templates, 1098
 - averaging models, 1097
 - covariant matching, 1096
 - elastic matching, 1090
 - modeling, 1090
 - spherical maps, 1093
 - variability, 1097
- chemical shift, 551
 - imaging, 553
- chest
 - radiograph, 1009, 1011
 - wall, 1038
- cine MRI, 867
- circular Gaussian statistics, 522
- classification, 101–119, 410, 958
 - k*-means, 105
 - k*-nearest neighbor, 109
 - artificial neural network, 111
 - artificial neural networks, 960
 - Bayesian, 108, 963
 - contextual, 116
 - decision tree, 110
 - fuzzy *c*-means, 108
 - fuzzy *c*-means, adaptive, 109
 - fuzzy logic, 412
 - linear discriminant analysis, 959
 - maximum likelihood, 108
 - minimum distance, 104
 - MOGA, 965
 - neural network, 411
 - parallelepiped, 104
 - parzen window, 109
 - rule-based, 964
 - statistical methods, 411
 - thresholding features, 410
 - using a knowledge base, 420
- classifier-independent feature analysis, 287–291, 295–296
- close-hole operator, 229, 233
 - top-hat, 257
- closing, 187, 214
 - annular, 197
 - area, 189, 215
 - by reconstruction, 229, 233
 - flat, 214
 - structural, 188, 214
 - top-hat, 221
 - translation invariant, 190, 214
- closing-by-reconstruction top-hat operator, 237
- cluster analysis, 955
- clustering algorithms, 103–109
- co-occurrence
 - matrix, 1036
- co-occurrence, 278, 282, 284, 285, 309–310, 317, 318
- coherent scattering, 521
- collimation, 5
- color Doppler, 620
- complete data, 19
- compression, 744
- Compton scatter, 5
- computed tomographic angiography, 813
- computed tomography, 517, 813, 1009
 - electron beam, 900
 - helical, 899
 - spiral, 899
 - ultrafast, 900
- computer aided diagnosis, 927–986
 - evaluation of methods, 970
- conditional operators
 - dilation, 195, 223, 227, 232
 - reconstruction, 229, 232
- conflict resolution, 887
- congenital heart disease, 635
- conjugate gradient, 45
- connected component labeling, 100
- connectivity
 - fuzzy, 896

1206 Index

- content-based retrieval, 438
 - continuous-to-discrete transformations, 542
 - contour detection, 768
 - contrast, 945, 951, 1031
 - agents, 547, 859
 - microbubble, 660
 - medium
 - extravascular, 1145
 - gadolinium, 1145
 - intravascular, 1145
 - non-ionic, 1145
 - contrast-enhanced bright blood MRA, 868
 - convergence rate, 16
 - convex-NR-1 algorithm, 32
 - convex-PS algorithm, 34
 - convolution, 527, 552
 - coordinate ascent, 36, 39
 - Newton-Raphson, 37
 - core, 167, 879, 880
 - coronary
 - calcification, 900
 - calcium
 - score, 900
 - disease, 713
 - diffuse, 755
 - heart disease, 811
 - imaging
 - computed tomography, 900
 - correlation, 1031
 - correspondence
 - images, 1162, 1176
 - points, 1155, 1176, 1185
 - cortical anatomy
 - mapping variability, 1065
 - criterion function, 105
 - cross validation, 52, 583
 - CT, 1009
 - CTA, 813
 - curve evolution, *see* deformable model
- D**
- data-weighted least-squares, 48
 - database, 973
 - deadtime, 6
 - decision boundary, 101
 - deconvolution, 1027, 1040
 - deformable model, 129–174
 - active contour, 408
 - active shape model, *see* active shape model
 - bending force, 134
 - curve evolution, 146
 - damping force, 136
 - deformable Fourier model, 155–157
 - deformable superquadric, 159–161
 - distance potential force, 139
 - dynamic distance force, 141–143
 - dynamic force formulation, 136–138
 - elasticity force, 134
 - energy minimizing formulation, 134–136
 - external force, 131, 133, 136, 138–143
 - Gaussian potential force, 136–138
 - geometric deformable model, 132, 133, 146–154
 - gradient vector flow, 139–141
 - interactive force, 143
 - internal force, 131, 134, 136, 138
 - level set method, 146–150
 - modal analysis, 157–159
 - multiscale Gaussian potential force, 138
 - nonpotential force, 138
 - parametric deformable model, 132–146
 - potential force, 134, 136, 138
 - pressure force, 138–139
 - snake, 768
 - speed function, 146, 147, 149–

- 152
 - spring force, 143, 144
 - volcano force, 143
 - deformable superquadric, *see* deformable model
 - deformable templates, 54
 - deformation, 530
 - degree of freedom, 1175
 - densitometry, 728
 - density, 945
 - dephasing, 547
 - descent
 - iterative, 1157, 1166
 - detector efficiency, 5
 - diaphragm, 1038
 - mechanics, 1038
 - DICOM, 716–749, 783
 - digitization, 926
 - dilation, 179, 180, 182, 209
 - bounded space, 888
 - conditional, 195, 223, 227, 232
 - flat, 210
 - translation invariant, 180, 183, 210
 - discrete size transform, 201, 225
 - discriminant analysis, 291, 296, 301, 305
 - discriminant function, 101
 - displacement, 531
 - dissipation matrix, 540
 - distance
 - function, 237
 - transform, 238
 - distortion
 - geometric, 460–462, 741
 - pincushion, 741
 - distributed specularly, 523
 - Doppler, 619
 - dual energy, 53
 - dynamic brain maps, 1114
 - dynamic programming, 91, 768, 885
 - three-dimensional, 887
- E**
- echocardiography, 609–674, 690, 698
 - intracardiac, 618
 - transesophageal, 618
 - edge, 346, 1032
 - detection
 - knowledge-based, 407
 - endpoints, 346
 - enhancement, 746
 - regular, 346
 - singular, 346
 - strength, 955
 - eigenanalysis, 544
 - eigenshape, 654
 - ejection fraction, 616, 784
 - elastic
 - deformation, 432
 - modulus, 535
 - elasticity, 1155, 1163
 - imaging, 530, 533
 - relative, 1188
 - EM algorithm, 18
 - EM-based surrogate function, 19
 - emission tomography, 49
 - endocarditis, 611
 - endoluminal rendering, 1048
 - endothelial function, 834
 - energy, 1031
 - enhancement
 - edge, 746
 - entropy, 1031
 - envelope, 522, 527, 529
 - epilepsy, 556
 - epipolar
 - constraint, 753
 - line, 757
 - plane, 753
 - erosion, 179, 180, 182, 209
 - flat, 210
 - translation invariant, 180, 182, 210
 - error
 - alpha, 585

1208 Index

- beta, 586
- consumer's, 586
- localization, 463, 467–473
- mean relative, 571
- MR gradient, 454, 462
- producer's, 585
- rate, 589
 - apparent, 581
 - re-substitution, 581
 - reclassification, 581
- registration, 452, 467–473
- Type I, 585
- Type II, 586
- estimation, 8
- expectation-maximization, 18, 78
 - bias field correction, 78, 86, 87
 - estimation of mixture parameters, 83
- expert system
 - fuzzy, 424
- F**
- false
 - negative, 571
 - positive, 571
 - positive fraction, 572
- fast denominator, 44
- feature
 - extraction, 409, 933
 - selection, 286, 292, 955
 - effect of finite datasets, 958
 - genetic algorithm, 956
 - one dimensional analysis, 956
 - stepwise, 956
 - space, 101, 103, 108
 - symbolic description, 420
 - vector, 101
- filtered-backprojection, 3
- finite element, 1155, 1164
 - algorithm, 534
 - implementation, 1165
 - mesh generation, 1171
 - method, 689, 695
 - model, 1170, 1176
 - modeling, 1153–1201
- flat image operators, 218
- flight-paths, 1044–1047
- flow mediated dilatation, 836
- flow reserve, 737
- FMD, 836
- fMRI, 538
- foreshortening, 736, 756
- form factor, 525
- forward problem, 518
- Fourier, 654
 - encoding, 855
 - sampling, 541
 - transform, 523, 527
 - local, 552
- fractal, 278, 282, 284, 325, 327, 329, 331, 332
 - analysis, 1032–1034
 - dimension, 327–331, 1033
 - feature, 327, 329, 331–335
- free-response ROC curve (FROC), 578, 590
- frequency encoding, 542
- Fresnel approximation, 527
- full-width at half-maximum (FWHM), 1025–1027
- function
 - activation, 112
 - objective, 105
 - ventricular, 627
 - diastolic, 632
 - systolic, 627, 628
- fusion
 - angiography and IVUS, 776
- fuzzy
 - connectedness, 407
 - connectivity, 896
 - sets, 417
 - defuzzification, 425
 - linguistic variable, 420
 - symbolic descriptions, 420

G

gating
 ECG, 771, 899
 Gauss-Markov theorem, 47
 Gaussian Random Fields, 1110
 Gaussian speckle, 521
 generalized EM, 35
 geodesic
 distance, 244
 transform, 244
 SKIZ, 242
 geometric deformable model, *see* deformable model
 Gibbs artifacts, 554
 Glagov effect, 758
 gradient, 1032
 ascent, 27
 field transform, 718–726
 vector flow, *see* deformable model
 graph searching, 89, 769
 grassfire, 100
 grouped coordinate ascent, 45
 gyromagnetic ratio, 537

H

hanging togetherness, 898
 harmonic imaging, 661
 Hausdorff distance, 581
 heart, 676
 coronary occlusion, 695
 failure, 635
 ischemic heart disease, 677
 Hermitian operator, 544
 Hessian matrix, 13
 histogram, 78, 278, 280, 281, 285, 309, 315, 316
 hit-or-miss operator, 192
 Hough transform, 94, 1011
 generalized, 97

I

image
 artifacts, 593

correspondence, 1162
 intensifier, 741
 range, 1155, 1169
 segmentation, 578
 performance of, 580
 imaging
 analysis challenges, 1064
 dynamic, 1136
 dynamic contrast MRI, 1139
 functional
 CT, 1142
 MRI, 1142
 medical, 1155
 modalities, 1009–1011
 nuclear medicine, 1137
 perfusion, 1137
 MRI, 1148
 PET, 1138
 physiological, 1136
 tumor, 1132
 impulse response, 520
 IMT, 821
 incoherent scattering, 521
 inertia, 1031
 inference
 max-min, 425
 intensity nonuniformity, 74
 interpretation, 399–445
 atlas, 429–433
 high-level, 421
 rule-based, 422–426
 rule-based system, 417
 semantic network, 426–429
 systems, 423
 intima, 764
 intima–media thickness, 821
 intra-patient variability, 317–319
 intravascular ultrasound, 711–808
 catheter, 760
 twist, 771
 pullback, 770
 quantitative, 760

1210 Index

- three-layer appearance, 765
- inverse difference moment, 1031
- inverse problem, 15, 518
- iso-surface
 - curvature, 357
 - intensities, 349
 - iso-value, 349
 - polygonizing a cell, 349
- iterative algorithm, 14

J

- jack knife, 582
- Jensen's inequality, 20

K

- k-distribution, 524
- k-space, 545, 553, 857
- keyframing, 1046
- kidney, 535
- knowledge
 - meta-level, 420
 - representation, 413
 - atlas, 416, 420
 - rule-based, 414
 - semantic network, 415, 426

L

- Larmor frequency, 537
- least-squares, 48
- leave one out, 582, 831
- level set method, *see* deformable model
- likelihood, 10
- limited angle tomography, 53
- line integral, 6
- linear array, 526
- linear discriminant analysis, 411
- linear imaging system, 519
- linear vector space, 543
- live wire, 94
- local mean, 290, 298–299
- local out-of-class mixture mean, 290–291, 298, 306
- logistic regression, 329, 331

- lumen, 764
- lung, 1006
 - lobes, 1017

M

- magnetic
 - resonance
 - angiography, 848–877
 - imaging, 812
- magnetic field, 540
 - gradient, 541
- magnetic resonance, 517, 536, 676, 690, 698
 - imaging, 1009
 - phase contrast, 679, 683
 - tagging, 679, 789
- Mahalanobis distance, 105, 107, 299, 300, 321
- majorization principle, 15
- mammography, 915–926
 - asymmetry, 947
 - compression, 923
 - hardware, 924
 - image requirements, 921
 - technical performance, 923
- MAP estimation, 12
- margin strength, 945
- Markov random field, 12, 439
- material description of motion, 531
- material properties
 - bone, 1176
 - integration, 1193
 - local, 1155
 - skin, 1161
 - soft tissue, 1176
- mathematical morphology, 177
- Matlab
 - generating speckle noise, 556
- maximum intensity projection, 781, 880–886
- maximum likelihood
 - classification, 108
 - estimation, 10

- estimator, 533
 - likelihood function, 82
 - parameters estimation, 82
 - maximum probability, 1031
 - media, 764
 - medial axis, 204, 1025, 1047
 - medialness, 879, 880
 - median filter, 185
 - Metz, Charles, 590
 - microcalcifications, 594
 - minimum cost, 769
 - Minkowski
 - addition, 183
 - subtraction, 183
 - modal analysis, *see* deformable model
 - model
 - biomechanical, 688
 - continuum mechanics
 - mathematical regularization, 704
 - myocardium, 688, 693
 - deformable, 681
 - mathematical, 518
 - mechanical, 688
 - multicompartmental, 1144
 - multiple compartments, 1147
 - two compartments, 1144
 - physical, 688
 - monotonicity, 14
 - morphological
 - filters, 199, 223
 - alternating, 199, 225
 - alternating sequential, 200, 225
 - gradient, 194, 221
 - external, 194, 221
 - internal, 195, 221
 - image analysis, 177–272
 - methods, 175–272
 - operators, 182–200, 206–225
 - reconstruction, 227–237
 - segmentation, 237–260
 - for grayscale images, 246
 - for nonoverlapping particles, 241
 - for overlapping particles, 245
 - skeleton, 205
 - software, 261
 - morphometry
 - deformation-based, 1101
 - tensor-based, 1106
 - tissue distribution, 1109
 - voxel-based, 1109
 - motion
 - analysis, 659, 1155
 - deformation, 1155
 - descriptors, 1155
 - estimation
 - non-rigid, 679
 - hand, 1155, 1160, 1174
 - modeling, 532
 - neck, 1156, 1173
 - nonrigid, 1156
 - parameters, 1155
 - skin, 1156, 1172
 - types, 1156
 - MR, 1009
 - gradient
 - errors, 454, 462, 473
 - MRA, 848
 - multiple sclerosis, 556
 - myocardial wall thickening, 616
 - myocardium, 614
- N**
- N3 algorithm, 76
 - narrow beam, 5
 - nearest-neighbor, 287, 298, 299, 306
 - Newton-Raphson, 26, 41
 - noise, 520, 534, 539
 - non-Gaussian speckle, 523
 - normal distribution, 586
 - null hypothesis, 585, 588
 - null space, 533, 544
 - Nyquist limit, 620
- O**
- object models, 520

opening, 187, 214
 annular, 195
 area, 189, 215
 by reconstruction, 229, 233
 flat, 214
 structural, 188, 214
 top-hat, 221
 translation invariant, 190, 214
 opening-by-reconstruction top-hat operator, 235
 optical flow
 regularization, 687
 variable brightness, 680
 optimization transfer, 15
 ordered subsets, 34, 43
 over-segmentation, 579
 overlapping veins
 suppression, 884

P

p value, 588
 paired samples, 589
 papillary muscles, 614
 parabola surrogate, 17, 39
 paraboloidal
 surrogate, 41
 coordinate ascent, 44
 function, 40
 parameterization
 automated, 1082
 parametric deformable model, *see* deformable model
 parametric meshes, 1079
 partial volume effect, 74
 pattern
 recognition, 1028
 spectrum, 203, 226
 PC MRA, 867
 penalized-likelihood, 11
 penalty function, 11
 perfusion, 1006
 imaging, 1148
 peripheral vascular disease, 811

permutation, 1111
 PET, 3, 1009
 phantom, 535
 phase coherence, 314–319
 phase encoding, 542
 physically-based, 1155, 1159
 pixel basis, 9
 plaque, 713–776
 point distribution model, 161
 point spread function, 527
 Poisson, 57, 58
 positron emission tomography, 3
 potential function, 12, 53
 power spectrum, 1032, 1034
 processing
 bottom-up, 401
 high-level, 400
 image-driven, 401
 low-level, 400
 model-driven, 401
 top-down, 401
 Procrustes, 469, 654
 PTCA, 713, 757
 pulmonary, 1005–1060
 airway centerlines, 1025
 airway measurement, 1023–1027
 airway tree, 1017–1027
 airway tree geometry, 1025–1027
 airway tree measurement, 1023–1027
 anatomy, 1006–1007
 applications, 1007–1008, 1028–1050
 blood flow, 1038–1040
 chest radiograph, 1034
 disease, 1006
 fissures, 1017
 function, 1038–1042
 imaging, 1006–1011
 mechanics, 1038
 microvascular blood flow, 1040
 MRI segmentation, 1013–1017

- nodules, 1035
 - perfusion, 1038–1040
 - radiograph segmentation, 1011–1013
 - segmentation, 1011–1027
 - shape descriptors, 1034–1035
 - system, 1006
 - tissue analysis, 1028–1038
 - tissue density, 1028–1032
 - tissue density frequency analysis, 1031–1032
 - tissue fractal analysis, 1032–1034
 - tissue texture, 1029–1031, 1035–1038
 - vascular tree, 1017, 1027
 - ventilation, 1042
 - X-ray CT segmentation, 1013
 - pulse
 - echo, 520
 - models, 526
 - sequence, 538, 540
- Q**
- quadratic penalty, 13
 - quadtree, 99
 - quality control, 838
 - quasi-Newton, 46
- R**
- radiograph, 1011
 - radiography, 1009
 - radionuclide imaging, 1009
 - random coincidences, 6, 49
 - Rayleigh probability density, 522
 - receiver operating characteristic, 323, 330, 332
 - curve, 573
 - receiver-coil sensitivity, 541
 - reconstruction
 - 3D, 750, 755
 - region, 275, 276, 278, 282, 283, 286
 - growing, 98
 - splitting and merging, 99
 - registration, 447–505
 - definition, 449
 - intensities, 487–504
 - 2-D-to-3-D registration, 504
 - atlas registration, 502
 - capture range, 497–498
 - correlation coefficient, 489
 - CT and PET, 501
 - information theory, 492–493
 - interpolation, 498, 500
 - joint entropy, 493–495
 - MR and CT, 500–501
 - MR and PET, 501
 - mutual information, 495–496, 501
 - nonrigid, 501–502
 - normalized mutual information, 496
 - optimization, 496–498
 - Partitioned Intensity Uniformity, 491, 501
 - Ratio-Image Uniformity, 490
 - serial MR registration, 499–500
 - similarity measures, 488–496
 - subtraction, 488–489
 - subvoxel registration, 498
 - interpatient, 449
 - intrapatient, 449
 - methods, 462–504
 - classification, 450
 - nonrigid, 430, 432
 - points, 463–477
 - curved transformations, 476–477
 - fiducial, 463, 464, 466
 - fiducial localization error, 463–468, 481
 - fiducial registration error, 467–474, 476
 - FLE, 463–468, 481
 - FRE, 467–474, 476
 - nonrigid, 473–477
 - perspective, 474–476

- rigid, 469–472
 - scaling, 473–474
 - target registration error, 468, 469, 471–472
 - TRE, 468, 469, 471–472, 486
 - two-dimensional, 474–477
 - rigid, 429, 430
 - surfaces, 477–486
 - disparity functions, 478–482
 - distance definitions, 482–483
 - distance transform approach, 483–484
 - example, 479
 - head and hat algorithm, 482
 - iterative closest point algorithm, 484–485
 - to an atlas, 1067
 - weighted geometrical features algorithm, 485–486
 - regularization, 11
 - parameter, 52
 - regurgitation, 611
 - aortic, 642
 - relative feature importance, 290–291, 296, 298–301, 304, 306
 - relaxation
 - labeling, 116
 - parameters, 538
 - respiratory system, 1006
 - restenosis, 713
 - reweighted least squares, 49
 - RF inhomogeneity, 74
 - RF signal, 309, 312, 313, 315, 317–319, 325
 - rib cage, 1011, 1038
 - Rician probability density, 523
 - rotation
 - proper, 452, 470
 - specification, 452–453
 - round robin, 582
 - run length, 1036
 - matrix, 1031
- S**
- sample mean, 586
 - sampling, 548
 - scatter, 6, 49
 - matrices, 290, 296–297, 299–302, 304, 305
 - plot, 101
 - scatterers, 312–316
 - scattering, 308, 309, 311–316, 318, 319
 - schizophrenia, 1090
 - score
 - coronary calcium, 900
 - scoring, 974
 - screening, 276–277, 279, 334, 335
 - segmentation, 71–127, 237–260, 1011–1027
 - active contour, *see* deformable model
 - airway tree, 1020–1023
 - algorithms, 404
 - anatomic knowledge, 1011–1013
 - breast, 929
 - chest radiographs, 1011–1013
 - correct, 579
 - deformable model, *see* deformable model
 - model
 - edge-based, 404
 - interactive, 691
 - knowledge-based, 405, 1011–1013, 1022–1023
 - lesion, 932
 - model-based, 1013–1017
 - MRI, 1013–1017
 - myocardium, 681
 - pattern recognition, 1011
 - pulmonary, 1011–1027
 - region-based, 404
 - region-growing, 1022
 - semi-automatic, 1025–1026
 - snake, *see* deformable model
 - thresholding, 1013
 - X-ray CT, 1013, 1017

- self-similarity, 1034
- sensitivity, 572
 - analysis, 331
 - function, 519, 530, 539
- separability, 291–296, 304–307
- separable
 - function, 24, 31, 42
 - paraboloidal surrogates, 43
- sequential update, 40
- shading artifact, 74
- shape, 275, 277, 278, 281, 282, 290, 325, 329, 335, 940
- shape analysis, 1109, 1112
- shape descriptors, 1034–1035
- signal modeling, 515–565
- simultaneous update, 40
- single photon emission computed tomography, 3
- singular value decomposition, 554
- sinogram, 7
- size, 954
- skeleton, 204
 - by influence zones, 240
- SKIZ, 240
- slice selection, 542
- snake, *see* deformable model
- spatial
 - encoding, 855
 - resolution, 11, 52, 855
- specificity, 572
- speckle, 516, 556
- SPECT, 3, 1009
- spectroscopy, 550
- spiculation, 933
- spin density, 538
- spin-echo imaging, 540
- spline, 348, 459–460, 476–477
 - basis function, 369
 - control vertex, 348
 - cubic, 369, 476–477
 - tensor product, 369
 - thin-plate, 459–460, 477
- standard deviation, 586
- standard error of the estimate, 586
- state vector, 37
- statistical
 - models, 418
 - validation, 663
- statistical flattening, 1111
- statistics
 - first-order, 1036
- steepest ascent, 14
- stenosis
 - aortic, 638
 - valve, 638
- stenting, 713
- stochastic relaxation, 118
- strain, 693, 1155, 1163
 - cardiac, 678, 696
 - distribution, 1157
 - image, 535
 - imaging, 530
 - levels, 1172, 1173
- stress, 1163
 - repetitive, 1155, 1158
- stroke, 556, 811, 821, 825
- stroke volume, 615
- structuring element, 183
 - cross, 195
 - disk, 240
 - reflected, 183
 - square, 221
 - symmetric, 195
- structuring function, 210
 - flat, 210
 - reflected, 210
- support, 519, 543
- surface, 343–398
 - apparent contour, 383
 - center of curvature, 358
 - curvature, 357
 - principal curvatures, 358
 - principal directions, 358
 - curved surfaces, 348

- deformable, 368
 - edge contraction, 377
 - error value, 380
 - error volume, 377
 - focal surface, 358
 - from contours, 360
 - growing, 94
 - iso-surface, 348
 - normal section, 357
 - point set, 345
 - principal curvatures, 358
 - principal directions, 358
 - projection, 387
 - representation, 345
 - rib lines, 358
 - simplification, 376
 - smoothing, 373
 - spline, 348
 - topology, 346
 - triangular mesh, 346
 - umbilic point, 358
 - vertex, 345
 - surrogate function, 15
 - susceptibility, 538, 547
 - synthetic imaging, 546
- T**
- tagging, 789
 - texture, 275, 278, 282, 284–287, 309–311, 318, 409, 945, 1029–1032, 1035–1038
 - thinning, 1046
 - three-dimensional echocardiography, 620
 - threshold decomposition, 207
 - thresholding, 78
 - iterative computation of, 79
 - optimal, 79
 - non-parametric, 79
 - parametric, 80
 - shape-based, 78
 - time-frequency analysis, 516
 - time-intensity curve, 1040
 - tissue
 - abnormal, 1155, 1173
 - burn scar, 1155, 1157, 1161
 - characterization, 437, 515–565
 - human, 1155
 - properties, 1176
 - skin movement, 1168
 - soft, 1155
 - tensile characteristics, 1168
 - TOF MRA, 861
 - tomographic, 3
 - tracking, 1155
 - grid, 1180
 - hand, 1176
 - intensity-based, 686
 - shape-based, 685, 692
 - transformation
 - geometrical, 451–462
 - B-spline, 459, 476–477, 502
 - camera, 456–457, 475–476
 - curved, 455, 457–460
 - nonrigid, 454–462
 - perspective, 456–457, 474–476, 504
 - projective, 455
 - rectification, 460–462
 - rigid, 452–453
 - thin-plate spline, 459–460
 - image
 - atlas to brain, 1068
 - transit time
 - mean, 1040
 - transitive closure, 101
 - transmission
 - scan, 3
 - tomography, 4
 - transverse magnetization, 540
 - tree
 - growing, 880, 881
 - intracerebral, 883
 - root, 882
 - vasculature, 881

vessel, 881
 triangle, 346
 compactness, 366
 fan, 346
 visible, 383
 triangular mesh, 346
 boundary, 346
 edge, 346
 manifold, 346
 smooth, 374
 true
 negative, 571
 positive, 571
 positive fraction, 572
 tumor
 analysis, 1132–1150
 classification, 1033
 imaging, 1131–1151
 treatment planning, 1132–1150

U

ultrasonic beam formation, 526
 ultrasound, 516, 813, 1009
 A-mode, 815–817
 artifacts, 762, 818
 B-mode, 527, 814, 816, 817, 820,
 821, 823, 824, 830, 835–837
 backscatter, 761
 brachial, 834–848
 carotid, 821–834
 imaging, 814–821
 interfaces, 765, 820
 intravascular, 757–784
 quantitative, 760
 M-mode, 618
 physics, 814
 under-segmentation, 579
 unsharp masking, 749

V

validation, 698
 angiography, 729
 fusion, 781

 implanted markers, 703
 synthetic images, 703
 techniques, 567–607
 valve
 aortic, 614
 mitral, 611, 645
 pulmonic, 614
 regurgitation, 642
 tricuspid, 611
 valves, 611
 valvular heart disease, 635
 variable projection method, 554
 vascular
 analysis, 811–905
 disease, 848
 imaging, 811–905
 reactivity, 834
 vein
 femoral, 889
 iliac, 889
 ventilation, 1006
 ventricle, 611
 left, 611
 right, 611
 ventricular
 chamber volume, 615, 785
 shape, 633
 ventriculography
 left, 784
 quantitative, 791
 vertex, 346
 regular, 346
 singular, 346
 virtual
 bronchoscopy, 1042–1050
 endoscopy, 1042
 viscous fluid deformation, 433
 volume
 cell, 349
 polygonizing, 349
 decomposition
 hexahedral, 349

1218 Index

- tetrahedral, 350
 - regular, 349
- voxel, 349
 - coding, 1084
- VRML, 780

W

- wall motion, 630, 788
- warping, 533
 - acceleration, 1075
 - algorithms, 1069
 - continuum-mechanical, 1072
 - fluid, 1074
 - intensity-driven, 1069
 - Navier-Stokes equations, 1073
 - neural nets, 1076
 - polynomial mappings, 1072
- wash-in curve, 1042
- wash-out curve, 1042
- watershed transform, 241
 - for grayscale images, 246
 - for nonoverlapping particles, 241
 - for overlapping particles, 245
- wavelets, 549

X

- x-ray
 - angiography, 812
- x-ray computed tomography, 3, 812
- x-ray CT, 1009–1011
- xenon-enhanced CT, 1042

Z

- zero-filling interpolation, 872