## PROCEEDINGS OF SPIE

# Practical Holography XXVI: Materials and Applications

Hans I. Bjelkhagen V. Michael Bove, Jr. Editors

22–25 January 2012 San Francisco, California, United States

Sponsored and Published by SPIE

Volume 8281

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Practical Holography XXVI: Materials and Applications*, edited by Hans I. Bjelkhagen, V. Michael Bove, Jr., Proceedings of SPIE Vol. 8281 (SPIE, Bellingham, WA, 2012) Article CID Number.

ISSN 0277-786X ISBN 9780819489241

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2012, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/12/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

## **Contents**

ix

Conference Committee

| xi        | Introduction   |
|-----------|--|
| SESSION 1 | MATERIALS  |
| 8281 02   | PVA glue as a recording holographic medium [8281-01] S. Toxqui-López, Benemérita Univ. Autónoma de Puebla (Mexico); A. Olivares-Pérez, Institut. Nacional de Astrofísica, Óptica y Electrónica (Mexico); B. Pinto-Iguanero, A. Aguilar-Mora, Benemérita Univ. Autónoma de Puebla (Mexico); I. Fuentes-Tapia, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)  |
| 8281 03   | Photosensitive holographic material with a medium of fluorescent ink [8281-02]  A. Olivares-Pérez, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico);  S. Toxqui-López, Benemerita Univ. Autonoma de Puebla (Mexico); I. Fuentes-Tapia, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico); M. Ortiz-Gutiérrez,  G. Mellado-Villaseñor, Univ. Michoacana de San Nicolás de Hidalgo (Mexico) |
| 8281 04   | Photochromic materials for holography: issues and constraints [8281-03]  A. Bianco, Osservatorio Astronomico di Brera (Italy); G. Pariani, A. Zanutta, Osservatorio Astronomico di Brera (Italy) and Politecnico di Milano (Italy); R. Castagna, C. Bertarelli, Politecnico di Milano (Italy) and Ctr. for Nano Science and Technology (Italy)   |
| 8281 05   | Performances of new green sensitive liquid photopolymers for volume phase holographic gratings [8281-04]  A. Zanutta, Politecnico di Milano (Italy) and INAF, Osservatorio Astronomico di Brera (Italy);  A. Bianco, F. M. Zerbi, INAF, Osservatorio Astronomico di Brera (Italy)  |
| SESSION 2 | DIGITAL HOLOGRAPHY AND SCENE CAPTURE I   |
| 8281 07   | Wide viewing-zone angle hologram generation using phase-shifting hologram capture for holographic media communications [8281-06] R. Oi, Y. Ichihashi, K. Yamamoto, T. Senoh, T. Kurita, National Institute of Information and Communications Technology (Japan)  |
| 8281 08   | Measurements of accommodation responses to horizontally scanning holographic display [8281-07] M. Yokouchi, Y. Takaki, Tokyo Univ. of Agriculture and Technology (Japan)   |
| 8281 09   | Depth perception and user interface in digital holographic television [8281-08] J. Barabas, S. Jolly, D. E. Smalley, V. M. Bove, Jr., MIT Media Lab. (United States)   |

- 8281 0A Transmission of hologram data and 3D image reconstruction using white LED light [8281-09] K. Sato, M. Tozuka, Shonan Institute of Technology (Japan); K. Takano, Tokyo Metropolitan College of Aeronautical Engineering (Japan); M. Ohki, Shonan Institute of Technology (Japan)
- 8281 0B Across light: through colour [8281-10]

I. Azevedo De Montfort Univ. (United Kingdom) and Univ. of Porto (Portugal); M. Richardson, De Montfort Univ. (United Kingdom); L. M. Bernardo, Univ. of Porto (Portugal)

#### SESSION 3 DIGITAL HOLOGRAPHY AND SCENE CAPTURE II

8281 0D Real-time recording and reconstruction of moving 3D images using electronic holography [8281-12]

K. Furuichi, K. Sato, Univ. of Hyogo (Japan)

8281 0E Full parallax computer generated hologram using GPU-accelerated ray tracing method [8281-13]

T. Ichikawa, Y. Sakamoto, Hokkaido Univ. (Japan)

8281 OF Single shot dual wavelength full field imaging in low coherence digital holographic microscopy [8281-14]

Z. Monemhaghdoust, LAPD, Ecole Polytechnique Fédérale de Lausanne (Switzerland); F. Montfort, Y. Emery, Lyncée Tec SA (Switzerland); C. Depeursinge, Lyncée Tec SA (Switzerland) and LOA, Ecole Polytechnique Fédérale de Lausanne (Switzerland); C. Moser, LAPD, Ecole Polytechnique Fédérale de Lausanne (Switzerland)

8281 0G Ray-casting CRT algorithm for holographic 3D display with full parallax occlusion effect [8281-15]

X. Liang, Y. Pan, X. Xu, Data Storage Institute (Singapore)

8281 0H Shading of holographic reconstructed image by two-dimensional amplitude of zone plates [8281-16]

T. Kurihara, Y. Takaki, Tokyo Univ. of Agriculture and Technology (Japan)

8281 01 A hard-threshold based sparse inverse imaging algorithm for optical scanning holography reconstruction [8281-17]

F. Zhao, X. Qu, Xidian Univ. (China); X. Zhang, Institute of Automation (China); T.-C. Poon, Virginia Polytechnic Institute and State Univ. (United States); T. Kim, Y. S. Kim, Sejong Univ. (Korea, Republic of); J. Liang, Xidian Univ. (China)

Phase retrieval of THz radiation using set of 2D spatial intensity measurements with different wavelengths [8281-18]

N. V. Petrov, V. G. Bespalov, National Research Univ. of Information Technologies, Mechanics and Optics (Russian Federation); M. V. Volkov, St. Petersburg State Univ. (Russian Federation)

| SESSION 4 | APPLICATIONS IN STORAGE, PRINTING, AND OPTICS I  |
|-----------|--|
| 8281 OK   | Applying field mapping refractive beam shapers to improve holographic techniques [8281-19]  A. Laskin, AdlOptica Optical Systems GmbH (Germany); G. Williams, The Univ. of Sheffield (United Kingdom); R. McWilliam, Durham Univ. (United States); V. Laskin, AdlOptica Optical      |
|           | Systems GmbH (Germany)   |
| 8281 OL   | In-line hologram reconstruction with Hartley transform and iteration [8281-20] M. Özcan, Sabancı Univ. (Turkey)  |
| 8281 OM   | Novel modulation techniques for collinear holographic data encoding [8281-21] W. Jia, City Univ. of Hong Kong (China) and Shanghai Institute of Optics and Fine Mechanics (China); Z. Chen, T. Chung, F. J. Wen, Y. T. Chow, P. S. Chung, City Univ. of Hong Kong (Hong Kong, China) |
| 8281 ON   | The volume hologram printer to record the wavefront of a 3D object [8281-22] O. Miyamoto, T. Yamaguchi, H. Yoshikawa, Nihon Univ. (Japan)  |
| SESSION 5 | APPLICATIONS IN STORAGE, PRINTING, AND OPTICS II   |
| 8281 OR   | A compact holographic recording setup for tuning pitch using polarizing prisms [8281-25] J. Kim, R. K. Komanduri, M. J. Escuti, North Carolina State Univ. (United States)   |
|           | POSTER SESSION   |
| 8281 OS   | Hologram pattern of the electromagnetic wave diffraction from a pyramidal horn antenna [8281-26]   |
|           | M. Ohki, Shonan Institute of Technology (Japan); K. Takano, Tokyo Metropolitan College of Industrial Technology (Japan); M. Tozuka, K. Sato, Shonan Institute of Technology (Japan); S. Kozaki, Gunma Univ. (Japan)  |
| 8281 OT   | Two-dimensional signal processing using a morphological filter for holographic memory [8281-27]  |
|           | Y. Kondo, Y. Shigaki, M. Yamamoto, Tokyo Univ. of Science (Japan)  |
| 8281 OU   | Acceleration of calculation method for CGH with spherical basic object light by using graphic processing units [8281-28] K. Hosoyachi, Y. Sakamoto, Hokkaido Univ. (Japan)   |
| 8281 OV   | Recording/readout system comprising reflection-type hologram memory that uses spherical reference light [8281-29] A. Nakajima, S. Ozawa, K. Okubo, M. Yamamoto, Tokyo Univ. of Science (Japan)   |
| 8281 OW   | Calculation method for reconstruction at arbitrary depth in CGH with Fourier transform optical system [8281-30] Y. Sato, Y. Sakamoto, Hokkaido Univ. (Japan)   |

| Enlargement of visual field considering depth of object for eyepiece-type electro holography [8281-31]  |
|---|
| C. Yang, Y. Sakamoto, Hokkaido Univ. (Japan); F. Okuyama, Suzuka Univ. of Medical Science (Japan)   |
| Computer-generated holograms at arbitrary positions using multi-view images [8281-32] Y. Ohsawa, Y. Sakamoto, Hokkaido Univ. (Japan)  |
| Image-type high-definition CGHs encoded by optimized error diffusion [8281-33] H. Yamashita, K. Matsushima, S. Nakahara, Kansai Univ. (Japan)   |
| Advanced rendering techniques for producing specular smooth surfaces in polygon-based high-definition computer holography [8281-34] H. Nishi, K. Matsushima, S. Nakahara, Kansai Univ. (Japan)  |
| Study of holograms made with saccharides and iron ions [8281-35]<br>M. M. Ordóñez-Padilla, A. Olivares-Pérez, V. Dorantes-García, R. Vallejo-Mendoza,<br>I. Fuentes-Tapia, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)   |
| Analysis of albumin hologram [8281-36]<br>M. J. Ordóñez-Padilla, A. Olivares-Pérez, L. R. Berriel-Valdos, Instituto Nacional de Astrofísica,<br>Óptica y Electrónica (Mexico); M. Ortiz-Gutiérrez, J. F. Villa-Manríquez, Univ. Michoacana<br>de San Nicolás de Hidalgo (Mexico)  |
| Interferometric measurement of refraction index of dye-doped photopolymer [8281-37] G. Mellado-Villaseñor, M. Ortiz-Gutiérrez, Univ. Michoacana de San Nicolás de Hidalgo (Mexico); M. Pérez-Cortés, Univ. Autónoma de Yucatán (Mexico); J. C. Ibarra-Torres, Univ. de Guadalajara (Mexico); A. Olivares-Pérez, S. Toxqui-López, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)   |
| The efficiency of holograms with registration nitrocellulose and FeCl <sub>3</sub> [8281-38] R. Vallejo-Mendoza, A. Olivares-Pérez, N. Korneev, V. Dorantes-García, M. J. Ordóñez-Padilla, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)   |
| Study of the behavior of the diffraction efficiency of a function of thickness using holographic gratings as material registration with gum Arabic ammonium dichromate [8281-39]  B. Pinto-Iguanero, Benemérita Univ. Autónoma de Puebla (Mexico); A. Olivares-Pérez, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico); S. Toxqui-López, Benemérita Univ. Autónoma de Puebla (Mexico); I. Fuentes-Tapia, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico) |
|   |

Fabrication of the multi-level phase type hologram for display using the laser direct write

lithography system [8281-40] S. Nakano, S. Nakahara, S. Singubara, Kansai Univ. (Japan)

8281 16

## 8281 17 Multiplex and multilevel optical recording for optical mass-storage by retardagraphy [8281-41]

H. Sekiguchi, Utsunomiya Univ. (Japan); D. Barada, Utsunomiya Univ. (Japan) and National Institute of Advanced Industrial Science and Technology (Japan); T. Ochiai, Utsunomiya Univ. (Japan); T. Fukuda, National Institute of Advanced Industrial Science and Technology (Japan); S. Kawata, T. Yatagai, Utsunomiya Univ. (Japan)

Author Index

## **Conference Committee**

Symposium Chair

Klaus P. Streubel, OSRAM GmbH (Germany)

Symposium Cochairs

**David L. Andrews**, University of East Anglia Norwich (United Kingdom) **Liang-Chy Chien**, Kent State University (United States)

Program Track Chair

Liang-Chy Chien, Kent State University (United States)

Conference Chairs

Hans I. Bjelkhagen, Glyndwr University (United Kingdom)V. Michael Bove, Jr., MIT Media Laboratory (United States)

### **Program Committee**

Gerald L. Heidt, Wasatch Photonics, Inc. (United States)
Fujio Iwata, Toppan Printing Company, Ltd. (Japan)
Tung H. Jeong, Lake Forest College (United States)
Raymond K. Kostuk, The University of Arizona (United States)
Gaylord E. Moss, MossOptics (United States)
Albert O. Okorogu, The Aerospace Corporation (United States)
Nadya O. Reingand, CeLight, Inc. (United States)
Martin J. Richardson, De Montfort University (United Kingdom)
Chris Slinger, QinetiQ Ltd. (United Kingdom)
Fred D. Unterseher, Columbia Career Center (United States)
Ichirou Yamaguchi, RIKEN (Japan)
Toyohiko Yatagai, Utsunomiya University (Japan)

#### Session Chairs

1 Materials

Hans I. Bjelkhagen, Glyndwr University (United Kingdom)

- 2 Digital Holography and Scene Capture I Michael A. Klug, Zebra Imaging, Inc. (United States)
- Digital Holography and Scene Capture II
   V. Michael Bove, Jr., MIT Media Laboratory (United States)

- Applications in Storage, Printing, and Optics I
   Gerald L. Heidt, Wasatch Photonics, Inc. (United States)
- 5 Applications in Storage, Printing, and Optics II Hans I. Bjelkhagen, Glyndwr University (United Kingdom)

## Introduction

The SPIE Practical Holography conference, which takes place every year in January, is an important international event in the field of holographic applications and recording materials. This year marks the twenty-sixth meeting of the Practical Holography conference which is part of the Photonics West event. The conference provides a venue for all aspects of holography: art, display, metrology, scientific, security, storage, CGHs and HOEs. The conference also brings together participants from all over the world. This year's meeting consisted of 21 oral and 16 poster papers. In addition, a Holography Technical Meeting took place during an evening focused on new developments and applications including demonstrations.

This year's conference featured many novel and interesting contributions in various fields during two days of oral presentations and a poster session. The oral presentations divided into five sessions on three main topics: materials, digital holography and scene capture, and applications in storage, printing and optics. The materials papers demonstrated that holographers continue to innovate in their search for efficient and inexpensive materials, while the number of digital holography presentations indicates that real-time dynamic holographic display continues to be an appealing topic for researchers. New scene capture techniques are enabling digital holograms to feature subject matter that previously was difficult to acquire. It is notable that holographic video is becoming a mature enough technology that human-factors research is beginning to be conducted in addition to technical investigations into display architectures and algorithms. Holography is finding its place in yet more applications, and new methods are being developed in support of the needs of the expanded application domains.

The conference chairs would like to thank the authors (both those new to this conference and returning authors) as well as the session chairs and the program committee members for their contributions to this conference. We look forward to seeing you in San Francisco in January 2013.

Hans I. Bjelkhagen V. Michael Bove, Jr.